

Date tehnice pentru produs: DTZT14801B

Panou 19", termostat LCD 1U , RAL9005



SCHRACK-Info

FEATURES

- LCD Display
- Insert design
- Simple appearance
- Two LR44 button cells (Included in delivery) for longer operating time
- Particularly suitable for Data Enclosures Freestanding and Data Enclosures Wallmounting 19"
- Color: RAL9005 Black

TECHNICAL PARAMETER

- Temperature range: $-50^{\circ}\text{C} \sim +110^{\circ}\text{C}$
- Using environment: Temperature: $-5^{\circ}\text{C} \sim +50^{\circ}\text{C}$
- Accuracy: $\pm 1^{\circ}\text{C}$
- Resolution: 0.1
- Power: two button battery (LR44, 1.5V)

INSTRUCTION

- Open the battery cover to put in two LR44 batteries correctly, pay attention to the polarity
- Please take out the batteries when not use for long time
- LCD display HC when temperature is higher than 110°C
- LCD display LC when temperature is lower than -50°C
- Insert size: 44.3 x 25.3mm

Fișe tehnice

Lățime netă (mm)	485,00
Înălțime (mm)	12,00
Adâncime netă (mm)	44,00
Masă netă (kg.)	0,20
COD EAN	9004840971675
Temperatura minimă a mediului ambiant (°C)	5
Temperatura maximă a mediului ambiant (°C)	40
UV	1
Culoare	RAL 9005 (negru)

Descriere	Cod comandă
Panou 19", termostat LCD 1U , RAL9005	DTZT14801B