

Date tehnice pentru produs: H5ULR05K0R

Patchcablu Cat.5e neecranat RJ45 rosu 5m



SCHRACK Info

Patchcords for generic, structured network cabling systems. Support all applications requiring Class D (e.g. 1000Base-T, 100Base-TX, ATM) as well as VoIP, PoE.

Patchcord with moulded boot in matching cable color. Pin assignment 1:1.

ISO/IEC 11801 2nd ed.; EN 50173-1 and IEC 61156-5.



Fișe tehnice

Categorie	Cat.5e
Construcție cablu	4x2xAWG24/7
Ecranaj	U/UTP
Conexiune	1:1
Bit rate	up to Gigabit Ethernet
Număr de perechi	4
Ecranaj	neecranat
Manta	PVC
Funcționalitate LED	fara LED
Diametru (mm)	5,00
Masă netă (kg.)	0,18
Culoare	roșu

Fișe tehnice - Continuare

Temperatura minimă a mediului ambiant (°C)	-20
Temperatura maximă a mediului ambiant (°C)	60
RoHS	conform
Lungime patchcord (m.)	5,0
Lățime netă (mm)	230,00
Înălțime (mm)	170,00
Conector standard	EN 60603-7
Tip conector	RJ45 unshielded
Pin assignment	EIA/TIA 568B 1:1
Împachetare	Single packed in polybag with label

Tabel articole

Descriere	NVP (%)	Greutate cupru (kg/km)	Cod comandă
Patchcablu Cat.5e neecranat RJ45 rosu 5m			H5ULR05K0R
Accesorii opționale			
Modul RJ45 neecranat, Cat.5e, TOOLLESS LINE			HSEMRJ5UWS
Patchpanel Cat.5 neecranat 24xRJ45			HSERU245GF
Priza date C5 neecranat 2xRJ45			HSEDU2UW5F
Cablu U/UTP Cat.5e, 4x2xAWG24/1, PVC, Eca, albastru, cutie	69	15	HSEKU424P1
Cablu U/UTP Cat.5e, 4x2xAWG24/1, PVC, Eca, gri, cutie	69	15	HSEKU424P0
Cablu U/UTP Cat.5e, 4x2xAWG24/1, LS0H, Eca, albastru, cutie	69	15	HSEKU424H1